

## **RipRAM Basic Information Sheet**

Assessment Area Name:			
Project Name:			
Assessment Area ID #:			
Project ID #:	Da	ite:	
Assessment Team Members for Th	is AA:		
Average Bankfull Width (visual esti	imate when conducting	the assessment from a bridge):	
Approximate Length of AA (10 time	es bankfull width, min	100 m, max 200 m):	
Downstream Point Latitude:	Longitude:	Datum:	
Upstream Point Latitude:	Longitude:		
Stream confinement:			
☐ Confined ☐ Non-confined  In non-confined riverine systems, the width of the valley across which the system can migrate without encountering a hillside, terrace, or other natural feature that is likely to prevent further migration is at least twice the average bankfull width of the channel. In confined riverine systems, the width of the valley across which the system can migrate without encountering a hillside, terrace hillside, terrace, or other natural feature is less than twice the average bankfull width of the channel.			
AA Category:			
□ Restoration □ Mitigation □ Impacted □ Ambient □ Reference			
□ Training □ Other:			
Did the river/stream have flowing water at the time of the assessment? □ yes □ no			
What is the apparent hydrologic flow regime of the reach you are assessing?			
The hydrologic flow regime of a stream describes the frequency with which the channel conducts water. <i>Perennial</i> streams conduct water all year long, whereas <i>ephemeral</i> streams conduct water only during and immediately following precipitation events. <i>Intermittent</i> streams are dry for part of the year, but conduct water for periods longer than ephemeral streams, as a function of watershed size and water source.			
□ perennial	$\hfill\Box$ intermittent	□ ephemeral	



	Photo ID	Description	Comments
	No.		
1		Upstream left bank	
2		Upstream right bank	
3		Middle left	
4		Middle right	
5		Downstream left bank	
6		Downstream right bank	

Site Location Description:
General Comments:



AA Name:			Date:
Metric	Metric Score	Comm	ents
Metric 1: Total Vegetation Cover (pg. 13)			
Metric 2: Vegetation Structure (pg. 15)			
Metric 3: Vegetation Quality (pg. 17)			
Metric 4: Age Diversity and Natural Regeneration (pg. 19)			
Metric 5: Riparian Vegetation Width (pg. 21)			
Metric 6: Riparian Soil Condition and Permeability (pg. 25)			
Metric 7: Macroinvertebrate Habitat Patch Richness (pg. 27)			
Metric 8: Anthropogenic Alterations to Channel Morphology (pg. 31)			
Index Score (Average of eight metric scores)			



Riparian Rain V 5.5		
Metric 1: Total Vegetation Cover Worksheet		
	Description	
Base Score	*Riparian Cover Includes Trees, Shrubs, and Helophytes, but not Annuals*	
4	>80% of riparian cover (excluding annual plants)	
2	50 - 80% of riparian cover (excluding annual plants)	
1	10 -50% of riparian cover (excluding annual plants)	
0	<10% of riparian cover (excluding annual plants)	
Base Score Modifiers:		
	If the connectivity between riparian forest and adjacent woodland area is >90%	
+2	(assess both sides of the stream corridor in aggregate)	
	If the connectivity is 50%-90% in total (assess both sides of the stream corridor in	
+1	aggregate)	
	If the connectivity is <25% in total (assess both sides of the stream corridor in	
-1	aggregate)	
	Total Score	
	Metric Score (transfer to main score sheet)	

Metric 2: Vegetation Structure Worksheet			
Base Score	Description		
4	>75% of tree cover		
2	50-75% of tree cover <u><b>OR</b></u> <50% of tree cover with >25% shrub cover		
1	Tree cover <50% with shrub cover between 10 - 25%		
0	Tree cover <50% with shrub cover <10%		
Base Score N	Nodifier (choose all that apply):		
	Greater than 50% of the <i>channel area</i> has helophytes or shrubs (may include shrubs that		
+2	are rooted above the channel area and hang down into it, such as blackberry vines)		
+1	25 - 50% of the <i>channel area</i> has helophytes or shrubs		
+1	trees and shrubs are in the same patches throughout the AA and have overlap		
-1	trees and shrubs are in separate patches, without continuity or overlap		
	Understory/ground vegetation layer is dominated by invasive species (herbaceous or		
-1	woody species), excluding annual grasses (>50% of AA)		
-2	understory is heavily grazed or cleared or mowed (>25% of AA)		
	Total Score		
	Metric Score (transfer to main score sheet)		



		Riparian Raivi v 5.0
Tree Species in AA		
Species Name	Native?	Codominant?
-		
	Total Native & Codes	minant:
	Total Native & Codo	IIIIIaiit:
Shrub Species in AA		
Species Name	Native?	_
	Total Native:	

4 2	Number of codominant native tree species ≥6  Number of codominant native tree species 4-5	
2	Number of codominant native tree species <b>4-5</b>	
	<u>'</u>	
1	Number of codominant native tree species 1-3	
0	Absence of codominant native tree species	
Base Score M	odifiers:	
	If tree community is continuous along river and covers ≥75% of the channel edge of the ripariar area (both edges combined)	
+2		
	Tree community is nearly continuous and covers 50-75% of the channel edge of the riparian	
+1	area (both edges combined)	
+1	It the riparian community is structured in gallery	
+1	The number of native shrub species ≥4	
-1	If there are some anthropogenic modifications in the riparian area that displace plant communities (presence of wells, buildings, channel maintenance roads, etc.)	
-1	If there are some isolated species of non-native trees/shrubs/vines/herbs with limited coverage	
	If there is a presence of communities of non-native trees/shrubs/vines/herbs including multiple	
-2	species with large coverage	
	Presence of high amounts of garbage in the riparian zone (e.g. homeless encampments) that	
-2	displace or degrade plant communities	
	Total Score	
	Metric Score (transfer to main score sheet)	



Metric 4: Age Diversity and Natural			
Regeneration of Co	-dominant Tree		
<b>Species Worksheet</b>			
Left Bank score	Right Bank score		
Average (Metric Score)			
(transfer to main score sheet)			

Metric 5: Riparian Zone Width			
Left Bank score	Right Bank score		
Average (Metric Score)			
(transfer to main score sheet)			

Metric 6: Riparian Soil Condition and Permeability Worksheet		
Left Bank score	Right Bank score	
Average (Metric Score)		
(transfer to main score sheet)		

Metric 7: Habitat Patch Richness Worksheet		
Habitat type	Presence (at	
	least 3m²)	
Cobbles and Boulders > 64 mm; tennis ball		
size and larger (within channel bottom)		
Coarse gravel 16 – 64 mm; marble to		
tennis ball (within channel bottom)		
Fines and Sand 2 mm or less in size (within channel bottom)		
Leaf packs (within channel bottom or		
interacting with floodplain)		
Fine woody debris (within channel bottom		
or interacting with floodplain)		
Large (or coarse) woody debris (within		
channel bottom or interacting with		
floodplain)		
Overhanging vegetation (within channel		
bottom or interacting with floodplain)		
Aquatic vegetation (within channel		
bottom)		
Total Number of habitat types		
Base Score Modifiers indicating excessive sediment and/or nutrients		
Percent fines and sand greater than 40%	-1	
(within channel bottom)		
Greater than 25% of the wetted channel	-1	
has helophyte cover		
>50% cover of floating algae mats in	-1	
channel		
Final number of habitat types		
Metric Score		

Metric 8: Anthropogenic Alterations to Channel Morphology Worksheet		
Left Bank score	Right Bank score	
Average (Metric Score)		
(transfer to main score sheet)		